

BS Hu nh Công -

T NG QUAN

Giang mai (Syphilis) là m t b nh lây truy n qua đ ng tình d c, gây nên do xo n khu n giang mai (*Treponema pallidum*). B nh lây truy n ch y u qua quan h tình d c, nh ng có th lây qua đ ng máu, ho c truy n t m b giang mai sang thai nhi trong th i k có mang thai.

LÂM SÀNG

Theo cách phân l ai m i, b nh giang mai có 2 lo i: Giang mai m c ph i và Giang mai b m sinh.

Giang mai m c ph i bao g m:

- Giang mai th i k 1: loét ho c s ng ở vùng b lây nhi m
- Giang mai th i k 2: phát ban da, t n th ng da và niêm m c và h ch
- Giang mai th i k 3: nh h ng trên th n kinh, tim m ch, t n th ng gummata
- Nhi m trùng ti m n (không có bi u hi n lâm sàng) đ c phát hi n b ng xét nghi m huyết thanh h c.

2015 Sexually Transmitted Diseases Treatment Guidelines

Sexually Transmitted Diseases (STDs) > 2015 STD Treatment Guidelines


 2015 STD Treatment Guidelines

Table of Contents

Introduction and Methods

Clinical Prevention Guidance

Special Populations

Syphilis

Syphilis is a systemic disease caused by *Treponema pallidum*. The disease has been divided into stages based on clinical findings, helping to guide treatment and follow-up. Persons who have syphilis might seek treatment for signs or symptoms of primary syphilis infection (i.e., ulcers or chancre at the infection site), secondary syphilis (i.e., manifestations that include, but are not limited to, skin rash, mucocutaneous lesions, and lymphadenopathy), or tertiary syphilis (i.e., cardiac, gummatous

<https://www.cdc.gov/std/2015/syphilis.htm>